



**ALWAYS  
ONE STEP  
AHEAD**

**The best for alpine skiing – Cross Country –  
Ski Alp – Snowboarding**

CATALOG 2025 / 2026



Yes Skiwax is OFFICIAL SUPPLIER of the Norwegian Biathlon Association

# INDEX

Roto fluor free Speed line	4
Racing	7
Powder fluor free	9
Work	10
Roto Drill Kit	12
Roto Motor Sets	13
Snowboard	15
Roto Drill Kits Ski Alp	16
Yes XC Poles Ski Alp	17
Grip Wax	18
Klister	19
Competition Set	20
Yes XC Poles	21
Accessoires	23
Brushes	27

The future of ski preparations

# FLUORFREE SPEED LINE



## ROTO fluor free SPEED LINE superwet

New Roto product, to be applied with a Roto wool applicator.  
Suitable for wet spring conditions with large crystals.

RN3SW-10 10 gr Temp: 0°C HR: +30%



## ROTO fluor free SPEED LINE 0

For transformed to wet snow conditions.

RN100-10 10 gr Temp: 0°C HR: +50%



## ROTO fluor free SPEED LINE 5

For fine to transformed snow conditions and dirty tracks.

RN105-10 10 gr Temp: 0/-5°C HR: +20%



## ROTO fluor free SPEED LINE 10

From slightly transformed, fine and cold to aggressive snow, also humid. For natural and artificial snow.

RN110-10 10 gr Temp: -3/-10°C HR: -20%



## ROTO fluor free SPEED LINE 15

From slightly transformed, fine and cold to aggressive snow, also humid. For natural and artificial snow.

RN115-10 10 gr Temp: -7/-15°C HR: -20%



## ROTO fluor free SPEED LINE 0 Black

For transformed to wet snow conditions and dirty tracks.

RN100-10 10 gr Temp: 0°C HR: +50%



## ROTO fluor free SPEED LINE 5 Black

For natural and artificial snow, transformed with big snow crystals, low humidity.

RN105-10 10 gr Temp: 0/-5°C HR: +20%



## Roto Zero Test

Ideal to prepare your Test skis for the zero test before the race.

RN400-20 20 gr



**Spray Racing fluor free SPEED LINE wet:** Mix very well, apply and then spread with the sponge on the base of the ski. Roll it out with the fleece and finish with brushing.

Perfect for humid and wet snow.

LN105-50 50ml Temp: 0/-5°C HR: -30%



**Spray Racing fluor free SPEED LINE med:** Mix very well, apply and then spread with the sponge on the base of the ski. Roll it out with the fleece and finish with brushing.

Perfect for cold snow and low humidity.

LN112-50 50ml Temp: -4/-12°C HR: -30%



## Spray Racing Super wet 0

For transformd wet and resistant/aggressive snow.

Apply on the base and spread with the attached sponge. Polish after 5 min one time from the skitip to the skiend with the Red Nylon Roto Brush.

LN100-50 50ml Temp: 0°C HR: +30%



### **Sponge Liquid Racing med**

Practical package, with liquid, suitable for the Finish-Treatment of competition skis. Use on fine artificial snow.

Shake, apply with the sponge, work the ski with roto-fleece, and brush with the nylon roto brush.

*LN112-100* **100ml** **Temp: -5/-12°C** **HR: -20%**



### **Sponge Liquid Racing wet**

Practical package, with liquid, suitable for the Finish-Treatment of competition skis. For transformed snow conditions.

Shake, apply with the sponge, work the ski with roto-fleece, and brush with the nylon roto brush.

*LN105-100* **100ml** **Temp: 0/-5°C** **HR: +30%**




### **Sponge Liquid Racing superwet 0**

Practical package, with liquid, suitable for the Finish-Treatment of competition skis. For wet snow conditions and large snow crystals.

Shake, apply with the sponge, and brush with the soft nylon roto brush.

*LN100-100* **100ml** **Temp: 0°C** **HR: +30%**



### **Sponge Liquid Racing superwet 0 black**

Practical package, with liquid, suitable for the Finish-Treatment of competition skis. For wet and dirty snow conditions and large snow crystals. Shake, apply with the sponge, and brush with the soft nylon roto brush.

*LN100-100* **100ml** **Temp: 0°C** **HR: +30%**



# FLUOR FREE SPEEDLINE RACING



## Fluor free Speed Line Racing superwet

New product suitable as a base for transformed spring snow with large crystals and wet conditions.

Temp: 0°C | HR +30% | Iron: 155°C

FN3SW-50 50 gr FN3SW-150 150 gr



## Racing 0

A new product with a completely new formula, without fluor but with elevated performances. Perfect for wet spring snow.

Temp: 0°C | HR +30% | Iron: 155°C

FN300-50 50 gr FN300-150 150 gr



## Racing 5

A new product with a completely new formula, without fluor but with elevated performances. Perfect for transformed snow conditions.

Temp: 0/-5°C | HR +20% | Iron: 155°C

FN305-50 50 gr FN305-150 150 gr



## Racing 10

A new product with a completely new formula, without fluor but with elevated performances. Perfect for cold transformed snow, also artificial. Has had already success on the World Cup.

Temp: -3/-10°C | HR +20% | Iron: 165°C

FN310-50 50 gr FN310-150 150 gr



### Racing 18

A new product with a completely new formula, without fluor but with elevated performances. Perfect for artificial and very abrasive snow.

Temp: -7/-18°C | HR -20% | Iron: 165°C

FN318-50 50 gr FN318-150 150 gr



### Fluor free Speedline Racing 0 black

Solid paraffin for iron. For fine, cold and transformed snow to aggressive. For natural and artificial snow, low humidity.

Temp: 0°C | HR +50% | Iron: 155°C

FNB300-50 50 gr FNB300-150 150 gr



### Fluor free Speedline Racing 5 black

Solid paraffin for iron. For natural and artificial snow, transformed with big snow crystals, low humidity.

Temp: 0/-5°C | HR +20% | Iron: 155°C

FNB305-50 50 gr FNB305-150 150 gr



### Fluor free Speed Line Racing Distance

Product for aggressive snow crystals.

Temp: 0/-10°C | HR -30/50% | Iron: 155°C

FN410-50 50 gr FN410-150 150 gr



# POWDER FLUOR FREE



## Powder flour free Speedline NF25

For extremely cold snow conditions.  
Perfect base for aggressive snow conditions.

Temp: -15/-25°C | HR -30% | Iron: 150°C

PN125-50 50 gr



## Powder 471 NF fluor free warm 5

Excellent as a base for trasformed and humid snow.  
Can be covered with Roto 0 or Roto 5.

Temp: 0/-5°C | HR +20% | Iron: 150°C

PN471-50 50 gr



## Powder 475 NF flour free medium 15

Excellent as a base for trasformed and resistant/  
aggressive snow. Can be covered with Roto 10 or  
Roto 15.

Temp: -8/-15°C | HR -30% | Iron: 150°C

PN475-50 50 gr



## Powder Distance fluor free Speed Line NF

Powder product for aggressive snow crystals. Spread  
it on the ski and hit it up at 150° Celsius.

Temp: 0/10°C | HR 30%/50% | Iron: 150°

PN110-50 50 gr

# WORK NO FLUOR HYDROCARBON WAX



## Work 7

perfect wax for training, for new snow or slightly transformed, from cold to warm.

Temp: -3/-7°C | HR 50/95% | Iron: 140°C

FN107-150 150 gr



## Work 18

perfect wax for training, for very cold snow conditions.

Temp: -7/-18°C | HR 35/80% | Iron: 150°C

FN118-150 150 gr



## Liquid Touring sponge applicat. Warm

Practical pocket sized package, contains liquid paraffin.

Easy to apply with the inserted sponge, let it dry for 5min and happy skiing.

Temp: 0/-8°C | HR 50/95%

LTN107-100 100 ml



## Liquid Touring sponge applicat. cold

Practical pocket sized package, contains liquid paraffin.

Easy to apply with the inserted sponge, let it dry for 5min and happy skiing.

Temp: -8/-15°C | HR 35/80%

LTN115-100 100 ml



### Work Lab Soft RED

ax for skiservice and teams, for warm snow conditions.

Temp: 0/-7°C | Iron: 120°C

FN202-1000

1.000 gr

4x250g



### Work Lab Hard VIOLA

Wax for skiservice and teams, for cold snow conditions.

Temp: -7/-18°C | Iron: 150°C

FN201-1000

1.000 gr

4x250g



### Liquid Work Hydrocarbon

Universal Liquid Wax, for fast application, ideally for training or for ski transportation

LN200-250 250 ml

LN200-500 500 ml

LN200-1000 1000 ml

# ROTO DRILL KIT FLUOR FREE SPEED LINE



## ROTO Kit fluor free speed line

KITD1500

- Impugnatura per trapano
- Rullo in sughero 89mm
- 3 Applicatori in lana (89mm)
- 3 Prodotti Linea ROTO NF

### **NO FLUOR SPEED LINE**

(Roto NF Speed Line 5, Roto NF Speed Line 10,  
Roto NF Speed Line 15 )

# ROTO MOTOR SETS

## FLUOR FREE SPEED LINE

Weight: 8,5 kg  
Speed: 3  
Rotations: 1300 – 1700



KITM700-220


### Motor Team VARIO

- **Motor VARIO 110V/220V:**  
with 3 different velocities, ideal for  
waxing and polishing skis.
- 3 fleece wool applicators (89mm)
- 3 products ROTO Line fluor free  
Speed Line 10gr  
(Roto fluor Free Speed Line 5, Roto  
Fluor Free Speed Line 10, Roto Fluor  
Free Speed Line 15)



EXAMPLE

Weight: 8,5 kg  
Speed: 1  
Rotations: 1300



KITM600-220

### Motor Team ROTO Engine Kit

- **Set Motor Team: light and stable**
- Roto Engine 110V/220V Team
- 3 fleece wool applicators (89mm)
- 3 products ROTO Line fluor free  
Speed Line 10gr  
(Roto Fluor Free Speed Line 5, Roto  
Fluor Free Speed Line 10, Roto Fluor  
Free Speed Line 15)



EXAMPLE

# ACCESSOIRES LINEA ROTO



## ROTO Fleece Wool-Applicators

Fleece Wool Applicator for Roto Engine.

A1089-135      Ø 89 / Length: 135mm



## ROTO Fleece Wool-Applicators

Fleece Wool Applicators for Drillers.

A1075-115      Ø 75 / Length: 115mm



## ROTO Handle for Drillers

Handle for Drillers:

A2000-115	Length: 115mm
A2000-135	Length: 135mm
A2000-200	Length: 200mm
A2000-220	Length: 220mm



## ROTO Kork for Drillers

A1175-115	Diameter: 75/115 mm
A1189-135	Diameter: 89/135 mm





# SNOWBOARD

KITD1540

- Handle for Driller
- Roto Cork (220mm)
- 2 fleece wool applicators (220mm)
- 2 ROTO products fluor free speed line (20gr)  
(Roto Speed line 5, Roto Speed line 10)



**ROTO Fleece Wool-Applicators**  
Fleece Wool Applicator for Roto Engine.

A1089-220 Length: 89mm / 220 mm



**Nyolon Roto-brush**  
6mm; 22 cm

ASC400 220mm



**ROTO Handle for Drillers**  
Handle for Drillers

A2000-220 Length: 220mm



**ROTO**  
**Kork for Drillers**

A1189-220 Diameter 89/220 mm

# ROTO DRILL KITS SKI ALP



## ROTO Drill Kit – Ski Alp:

KITD1530

Ideal to prepare skins and base for Ski-Touring:

- Handle for Driller
- Roto Cork 75mm
- 3 fleece wool applicators (75mm)
- 3 products **ROTO Line**

(Roto Universal Base, Roto Ski Alp Skin Cold black, Roto Ski Alp Skin Warm black)

## ROTO SKIALP



### Universal racing base wax NF

Fluor Free Speed Line for preparing the base of the skis

RN300-10

10 gr



### Warm racing Skin wax NF

Speed Line for preparing the Skin

RN308-10

10 gr



### Cold racing Skin wax NF

Speed Line for preparing the Skin

RN315-10

10 gr

# YES SKI ALP POLES

## Wind: 100% Carbon

Material of the stick:

100% carbon

Handle:

Cork Grip 16 mm

Strap:

for Cross-county and Biathlon

Basket: Ø 13 mm with tip in high Widia quality



## Ninja: 100% Carbon

Material of the stick:

100% carbon

Handle:

Cork Grip 16 mm

Strap:

for Cross-county and Biathlon

Basket: Ø 13 mm with tip in high Widia quality



# GRIP WAX



**Stick Multigrade Viola:** For a shiny track, soft snow

GS103-30

30 gr

Temp:0/-3°C



NEW

**Stick Multigrade Viola Hard :** Stick grip suitable for new to aggressive snow conditions

GS104-30

30 gr

Temp:0/-3°C



NEW

**Stick Multigrade viola black:** Stick grip suitable for new to aggressive snow conditions

GS105-30

30 gr

Temp:0/-3°C



NEW

**Stick Blue Extra Soft:** Stick grip suitable for aggressive artificial snow conditions

GS109-30

30 gr

Temp:-2/-8°C



NEW

**Stick Blue Extra black:** Stick grip suitable for aggressive artificial snow conditions

GS116-30

30 gr

Temp:-2/-8°C



**Stick Blue Extra:** Perfect glide and kick on transformed artificial snow

GS108-30

30 gr

Temp:-2/-8°C



**Stick Blue Stick:** Lightly transformed fine snow and or cold artificial

GS110-30

30 gr

Temp:-5/-10°C



**Stick Blue Extra HARD:** New product, wide range, already used in the World Cup till -18°C, very resistant with abrasive snow conditions.

GS115-30

30 gr

Temp:-8/-15°C



**Stick Green:** Perfect base for long distances. Warm up slightly with the iron for better gliding characteristics.

GS120-30

30 gr

Temp:-15/-25°C

# KLISTER



**Klister Red:** Perfect grip and gliding characteristics for artificial snow conditions.

GK30R-60

60 gr

Temp: +1/+3°C



**Klister Violet:** The perfect base for long distances, perfect as a base for stick waxes

GK30V-60

60 gr

Temp: -1/-8°C



**Liquid no ice racing:** A light layer improves the gliding qualities from the liquid kick wax (Klister). Apply a light layer on the Klister with your fingers. Ideal for wet and dirty snow conditions. Helps for the acceleration and repels the dirt.

LR100-50

30 gr

Temp: -2/-8°C



**Wachsprom HWP 230V, 50/60Hz**

Device for the even application of klister

HWP-125



Accessoires for HWP 125

**Rubber roller  
length 125**

HWP-001



Accessoires for HWP 125

**aluminium – grooved roll  
length 125**

HWP-002



Accessoires for HWP 125

**Replacement tray  
Wachsprom**

HWP-004

# COMPETITION SET



## Competition Set HSG1 Starter

*KITA HSG1*

- Starter set with guaranteed success
- HSG 1 with guide roller in the case and 3 rollers for all conditions



## Competition Set HSG 2 – Comfort

*KITA HSG2*

- Your professional introduction to hand structures
- Find the best match for your existing ski range
- Available in cold, medium and wet configurations
- HSG 2 with drive & guide roller in the case and 5 structure rollers



## Competition Set HSG 2 – Premium

*KITA HSG2-P*

- Your professional introduction to hand structures
- Find the best match for your existing ski range
- HSG 2 with drive & guide roller in the case and 12 structure rollers



## Competition Set HSG2-Worldcup

*KITA HSG2-WC*

- The World Cup equipment for all situations
- HSG1, HSG2 and 25 premium structures in a case



# YES XC POLES

## Energy: Ultralight 100% HM Carbon

Material of the stick: 100% carbon  
Handle: Cork Grip 16 mm

Strap: for Cross-country and Biathlon  
Basket: Ø9 mm with tip in high Widia quality



## Active: Light 100% Carbon

Material of the stick: 100% carbon  
Handle: Cork Grip 16 mm

Strap: for Cross-country and Biathlon  
Basket: Ø9 mm with tip in high Widia quality



## Ninja: 100% Carbon

Material of the stick: 100% carbon  
Handle: Cork Grip 16 mm

Strap: for Cross-country and Biathlon  
Basket: Ø9 mm with tip in high Widia quality



All models are adaptable in size

## Wind: 100% Carbon

Material of the stick:

100% carbon

Handle:

Cork Grip 16 mm

Strap:

for Cross-county and Biathlon

Basket:

Ø9 mm with tip in high Widia quality



## Pole-tube for 5 pairs

AS200-170



## Baskets for poles

BA1006



## Handle

BA1001



## Handle and straps

Size: S | M | L

BA1004



## Biathlon-Strap

BA1005

# ACCESSOIRES

## Puliski Cleaner

Liquid to clean the skis, ideal to clean and prepare the skis before applying the Roto Products.

AC1200-05	0,5 lt
AC1200-1	1lt
AC1200-5	5 lt



## Fluor Cleaner 250ml

AC1100-250



## Drink belt, insulated

A3200-00



## Ski straps

A3400-00



## Ski bag with casters

AS110-10

for 10 pairs



## Ski bag

AS100-2

for 2 pairs

AS100-4

for 4 pairs

AS100-8

for 8 pairs

## Waxing Iron

A3101EC-DIG digital model

A3102-ECC cheap model



With digital temperature indicator, the 10mm strong iron ensures good heat-stability, still light and ideal for intense use.



Plexi scraper

Width:

A3310-3

3mm

A3310-5

5mm



## Time Test

A3300-00

Time Test® time keeping system with photocell for cross-country ski speed testing

## Backpack

A3500-00






## Waxing Table

YES-T01

Stable and solid table for waxing;  
1 shelf as optional, fits 2 sets of cross  
country waxing profiles

height: 900mm  
length: 1.000mm  
weight: 530mm



BORSA-T01

### 1 shelf for the waxing table

YES-PIANOT01



### Adjustable Cross Country Waxing Profile

Y0033-a



BORSA-Y0033\_a



New for binding  
Madshus  
Rottefella SkateX





# BRUSHES



**Nylon brush,  
rectangular, 6mm**

ASR400



**Horsehair brush,  
rectangular, 8mm**

ASR300



**Inox brush,  
rectangular, 10mm**

ASR200



**Brass Brush,  
rectangular, 8mm**

ASR500



**Fleece/Nylon brush,  
small and rectangular**

ASR100

# ROTO-BRUSHES



**Roto brush mix horsehair  
nylon 5,5mm, length 6cm**

ASC1100



**Horsehair Roto-brush  
7mm, length 6cm**

ASC1200



**Nylon Roto-brush 7mm,  
length 6cm**

ASC1400



**Roto – brush steel Ø  
0,10mm; 10mm; Ø 0,10mm;  
10mm; length 6cm**

ASC1600



**Fleece Roto-brush,  
length 6cm**

ASC1500



## **Brush kit**

1 handle,  
3 Roto brushes 60mm,  
steel,  
horsehair,  
fleece

KITS1300



**Horshair Roto-brush**  
5mm; 10cm

ASC100



**Roto Brush, nylon and  
horsehair, 5mm; 11,5cm**

ASC200



**Nyolon Roto-brush**  
height 7mm;  
10 cm

ASC300



**Brush steel horsehair**  
Length: 11,5cm

ASC600



**ROTO Handle for Drillers**

A2000-100 Length: 100mm

A2000-115 Length: 115mm

A2000-200 Length: 200mm



**Fleece Roto-brush,**  
length 10cm

ASC500

# CLOTHING

## Apron

The design can be  
personalized

B302-GRE



## This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



## YES SKIWAX SRL

Via Vittorio Veneto 57 / C

I - 39042 Bressanone

UID Nr. IT02889820219

[INFO@YESSKIWAX.COM](mailto:INFO@YESSKIWAX.COM)

[WWW.YESSKIWAX.COM](http://WWW.YESSKIWAX.COM)

