

Yes
SKIWAX



**ALWAYS
ONE STEP
AHEAD**



CATALOG 2023 / 2024

The best for alpine skiing - Cross Country - Ski Alp - Snowboarding

www.yesskiwax.com





INDEX

Roto Fluorfree Sped line	4	Yes XC Poles Ski Alp	24
Racing	6	Grip Wax	25
Work	7	Klister	26
Roto Drill Kit	8	Competition Set	27
Roto Motor Sets	9	Yes XC Poles	28
Roto F2015 top fluor	10	Accessoires	30
Roto Motor Sets	12	Brushes	34
Roto Drill Kits High Fluor	14	Clothing	35
Accessoires Linea Roto	15		
Powder	16		
Liquitop	17		
Spray	18		
Performance Wax	19		
Active	20		
Speed fast	21		
Snowboard	22		
Roto Drill Kits Ski Alp	23		
Roto Skialp	23		

The future of ski preparations

FLUORFREE SPEED LINE



ROTO fluor free SPEED LINE 0

From slightly transformed, fine and cold to aggressive snow, also humid. For natural and artificial snow.

RN100-10 10 gr Temp: 0°C HR: +50%



ROTO fluor free SPEED LINE 5

For natural or artificial snow with high humidity

RN105-10 10 gr Temp: 0/-5°C HR: +20%



ROTO fluor free SPEED LINE 10

From slightly transformed, fine and cold to aggressive snow, also humid. For natural and artificial snow.

RN110-10 10 gr Temp: -3/-10°C HR: +20%



ROTO fluor free SPEED LINE 15

From slightly transformed, fine and cold to aggressive snow, also humid. For natural and artificial snow.

RN115-10 10 gr Temp: -7/-15°C HR: +20%





NEW
2023



FLUOR
FREE

ROTO fluor free SPEED LINE 0 Black

For fine, cold and transformed snow to aggressive.
For natural and artificial snow, low humidity

RN100-10 10 gr Temp: 0°C HR: +50%



NEW
2023



FLUOR
FREE

ROTO fluor free SPEED LINE 5 Black

For natural and artificial snow, transformed with big
snow crystals, low humidity

RN105-10 10 gr Temp: 0/-5°C HR: +20%



FLUOR
FREE

Roto Zero Test

Ideal to prepare your Test skis for the zero test before the race.

RN400-20 20 gr



FLUOR
FREE


Liquid Racing Fluor Free Speed Line wed: Mix very

well, apply in small drops and then spread with the sponge on the
base of the ski. Roll it out with the fleece and finish with brushing.
Perfect for humid and wet snow

LN105-80 80ml Temp: 0/-5°C HR: -30%



NEW
2023



FLUOR
FREE

Liquid Racing Fluor Free Speed Line med: Mix

very well, apply in small drops and then spread with the sponge on the
base of the ski. Roll it out with the fleece and finish with brushing.
Perfect for cold snow and low humidity

LN112-80 80ml Temp: -4/-12°C HR: -30%



FLUORFREE SPEEDLINE RACING



Racing 0

A new product with a completely new formula, without fluor but with elevated performances. Perfect for wet spring snow.

Temp: 0°C | HR +30% | Iron: 155°

FN300-50 50 gr FN300-150 150 gr



Racing 5

A new product with a completely new formula, without fluor but with elevated performances. Perfect for transformed snow conditions.

Temp: 0/-5°C | HR +20% | Iron: 155°

FN305-50 50 gr FN305-150 150 gr



Racing 10

A new product with a completely new formula, without fluor but with elevated performances. Perfect for cold transformed snow, also artificial. Has had already success on the World Cup.

Temp: -3/-10°C | HR +20% | Iron: 165°

FN310-50 50 gr



Racing 18

A new product with a completely new formula, without fluor but with elevated performances. Perfect for artificial and very abrasive snow.

Temp: -7/-18°C | HR -20% | Iron: 165°

FN318-50 50 gr FN318-150 150 gr

NEW
2023



Fluor free Speedline Racing Racing 0 black

Solid paraffin for iron. For fine, cold and transformed snow to aggressive. For natural and artificial snow, low humidity

Temp: 0°C | HR +50% | Iron: 155°C

FN300-50 50 gr

NEW
2023



Fluor free Speedline Racing Racing 5 black

Solid paraffin for iron. For natural and artificial snow, transformed with big snow crystals, low humidity

Temp: 0/-5°C | HR +20% | Iron: 155°C

FN305-50 50 gr



POWDER FLUOR FREE SPEED LINE NF25:

For extremely cold snow conditions.
Perfect base for aggressive snow conditions.

Temp: -15/-25°C | HR -30% | Iron: 150°C

PN125-50 **50 gr**



POWDER FLUOR FREE SPEED LINE NF15:

Powder product great for medium to cold snow conditions

Temp: -8/-15°C | HR -30% | Iron: 150°C

PN115-50 **50 gr**

WORK NO FLUOR HYDROCARBON WAX



Work 7: perfect wax for training, for new snow or slightly transformed, from cold to warm.

Temp: -3/-7°C | HR 50/95% | Iron: 140°C

FN107-150 **150 gr**



Work 18: perfect wax for training, for very cold snow conditions.

Temp: -7/-18°C | HR 35/80% | Iron: 150°C

FN118-150 **150 gr**



Work Lab Soft RED: ax for skiservice and teams, for warm snow conditions.

Temp: 0/-7°C | Iron: 120°C

FN202-1000

1.000 gr

4x250g



Work Lab Hard VIOLA: Wax for skiservice and teams, for cold snow conditions.

Temp: -7/-18°C | Iron: 150°C

FN201-1000

1.000 gr

4x250g



Liquid Work Hydrocarbon: Universal Liquid Wax, for fast application, ideally for training or for ski transportation

LN200-250 **250 ml**

LN200-500 **500 ml**

LN200-1000 **1000 ml**



**NEW
2023**

ROTO DRILL KIT FLUOR FREE SPEED LINE



ROTO Kit Fluor free speed line

KITD1500

- Impugnatura per trapano
- Rullo in sughero 89mm
- 3 Applicatori in lana (89mm)
- 3 Prodotti Linea ROTO NF

NO FLUOR SPEED LINE

(Roto NF Speed Line 5, Roto NF Speed Line 10,
Roto NF Speed Line 18)

ROTO MOTOR SETS

FLUOR FREE SPEED LINE



Weight: 8,5 kg
Speed: 3
Rotations:
1300 - 1700



KITM700-220


Motor Team VARIO

- **Motor VARIO 110V/220V:**
with 3 different velocities, ideal for
waxing and polishing skis.
- 3 fleece wool applicators (89mm)
- 3 products ROTO Line fluor free
Speed Line 10gr
(Roto fluor Free Speed Line 5, Roto
Fluor Free Speed Line 10, Roto Fluor
Free Speed Line 18)



EXAMPLE

Weight: 8,5 kg
Speed: 1
Rotations: 1300



KITM600-220

Motor Team ROTO Engine Kit

- Set Motor Team: light and stable
- Roto Engine 110V/220V Team
 - 3 fleece wool applicators (89mm)
 - 3 products ROTO Line fluor free
Speed Line 10gr
(Roto Fluor Free Speed Line 5, Roto
Fluor Free Speed Line 10, Roto Fluor
Free Speed Line 18)



EXAMPLE

ROTO F2015 TOP FLUOR

NO
PFOA

The **YES ROTO F2015** is the latest evolution from our ROTO line.
Allows the best performance on the highest level, also without adding powders.



ROTO F2015 0

For very wet, natural or artificial snow

Temp: 0°C
HR: 50%

RF100-10
10 gr



ROTO F2015 5

Perfect for wet, transformed and dirty snow.

Temp: 0/-5°C
HR: 60/95%

RF105-10
10 gr



ROTO F2015 10

Perfect for humid snow, lightly transformed.

Temp: -4/-10°C
HR: 50/95%

RF110-10
10 gr



ROTO F2015 5 Black

For humid snow conditions, transformed and dirty, as also artificial.

Temp: 0/-5°C
HR: 60/95%

RFB105-10
10 gr



ROTO F2015 10 Black

For slightly transformed snow conditions, dry and from cold to warm, dirty end artificial.

Temp: -4/-10°C
HR: 50/95%

RFB110-10
10 gr



ROTO F2015 20 Black

For very cold snow, dry, artificial and dirty.

Temp: -9/-20°C
HR: 35/80%

RFB120-10
10 gr

NO
PFOA

LINEA ROTO HIGH FLUOR



ROTO F2015 15

For cold snow, fine artificial snow

Temp: -7/-15°C

HR: 35/80%

RF115-10

10 gr



Roto HF 4

For lightly transformed and not to cold snow.

Temp: -1/-4°C

HR: 60/95%

RH104-10

10 gr



Roto HF Distance

Ideal for long distance competitions, with aggressive artificial and transformed or dirty snow conditions

Temp: 0/-10°C

HR: 30/90%

RD110-10

10 gr



ROTO F2015 20

For very cold snow conditions, artificial and humid.

Temp: -9/-20°C

HR: 35/80%

RF120-10

10 gr



Roto HF 7

For lightly transformed and also granular but not to cold snow.

Temp: -3/-7°C

HR: 50/95%

RH107-10

10 gr



Roto HF 15

For cold and not transformed snow. With artificial abrasive snow it is an advantage to apply a base with YES ACTIVE 25.

Temp: -7/-15°C

HR: 35/80%

RH115-10

10 gr

ROTO MOTOR SETS



Weight: 8,5 kg
Speed: 3
Rotations: 1300 - 1700

KITM300-220

Motor Team VARIO

- **Motor VARIO:** with 3 different velocities, ideal for waxing and polishing skis.
- 3 fleece wool applicators (89mm)
- 3 products **ROTO Line HF**
(Roto 4, Roto 7, Roto 15)



EXAMPLE

KITM400-220

Motor Team F2015 Vario

- **Motor VARIO:** with 3 different velocities, ideal for waxing and polishing skis.
- 3 fleece wool applicators (89mm)
- 3 products **ROTO Line F2015**
(F2015 5, F2015 10, F2015 15)



EXAMPLE



Weight: 8,5 kg
Speed: 1
Rotations: 1300

KITM100-110 / KITM100-220

ROTO Engine Kit / Set Motor Team:

light and stable.

- Roto Engine 110V/220V Team
- 3 fleece wool applicators (89mm)
- 3 products **ROTO Line HF**
(Roto 4, Roto 7, Roto 15)



EXAMPLE

KITM200-110 / KITM200-220

ROTO Engine Kit F2015 / Set Motor Team

- Roto Engine 110V/220V Team
- 3 fleece wool applicators (89mm)
- 3 products **ROTO Line F2015**
(F2015 5, F2015 10, F2015 15)



EXAMPLE

ROTO DRILL KITS HIGH FLUOR



**NO
PFOA**



ROTO Drill Kit High Fluor

KITD1510

- handle for Driller
- Roto Cork
- 3 fleece wool applicators (89mm)
- 3 products **ROTO Line HF**
(Roto HF4, Roto HF7, Roto HF15)

**NO
PFOA**



ROTO Drill Kit F2015

KITD1520

Special set for competitions and best gliding performances

- handle for Driller
- Roto Cork
- 3 fleece wool applicators (89mm)
- 3 products **ROTO Line F2015**
(Roto F2015 5, F2015 10, F2015 15)

ACCESSOIRES LINEA ROTO



ROTO Fleece Wool-Applicators
Fleece Wool Applicator for Roto Engine.

A1089-135

Length: 89 / 135mm



ROTO Fleece Wool-Applicators
Fleece Wool Applicators for Drillers.

A1075-115

Length: 75 / 115mm



ROTO Handle for Drillers
Handle for Drillers:

A2000-115

Length: 115mm

A2000-135

Length: 135mm



ROTO Kork for Drillers

A1175-115

Diameter: 75-115 mm

A1189-135

Diameter: 89/135 mm

NO
PFOA



POWDER CERA



Powder 5: flour-powder for humid and wet snow conditions.
For transformed or new falling snow conditions close to 0°C.

PH105-30 gr. 30 Temp: 0/-5°C HR 60/95% Temp.Ferro: 165°C



Powder 10: fluor-powder for new snow or slightly transformed.
Perfect also for new cold snow conditions.

PH110-30 gr. 30 Temp: -4/-10°C HR 50/95% Iron: 165°C



Powder 20: fluor-powder for cold and slightly transformed
and/or artificial snow.

PH120-30 gr. 30 Temp: -9/-20°C HR 35/80% Iron: 165°C



Powder 5 DRY: flour-powder no PFOA for new-wet snow with
low humidity

PH205-30 gr. 30 Temp: 0/-5°C HR -20% Iron: 165°C



Powder 10 DRY: flour-powder no PFOA for new slightly trans-
formed snow with low humidity

PH210-30 gr. 30 Temp: -4/-9°C HR -20% Iron: 165°C

NEW
2023



Powder 5 black: High fluorinated powder, perfect for wet
and dirty conditions

PHB105-30 gr. 30 Temp: 0/-5°C HR 60/95% Iron: 165°C

NO
PFOA

LIQUITOP

Great as a Finish/Topping after Powder or Roto application. Ideal also for Skin-skis and NoWax



Liquitop yellow wet: Ideal solution as a finish for racingskis, special additives allow to be very effective in transformed, coarse grained and wet snow conditions.

LT105-50

50 ml

Temp: 0/-5°C

HR 50/100%



Liquitop yellow wet black: Ideal solution as a finish for racingskis, special additives for transformed natural and artificial snow with low humidity

LTB105-50

50 ml

Temp: 0/-5°C

HR 50/100%



Liquitop red medium: Ideal solution as a finish for racing skis, special additives allow to be very effective in transformed, coarse grained and humid snow conditions.

LT110-50

50 ml

Temp: -5/-10°C

HR 50/100%



Liquitop red medium black: Ideal solution as a finish for racingskis, special additives for transformed natural and artificial snow with low humidity

LTB110-50

50 ml

Temp: 0/-5°C

HR 50/100%

SPRAY FLUOR RACING

NO
PFOA

Fluor Additive to spray on the ski-base and polish with Roto Wool. Perfect performance if applied on top of Powders.



Spray 5: Fluor-Spray for humid to wet snow conditions.

SH105-50

ml. 50

Temp: 0/-5°C

HR: 60/95%



Spray 10: Fluor-Spray for new snow or slightly fine transformed snow conditions

SH110-50

ml. 50

Temp: -4/-10°C

HR: 50/95%



Spray 20: for cold and fine snow conditions.

SH120-50

ml. 50

Temp: -9/-20°C

HR: 35/80%

SPRAY FLUOR RACING – BLACK

NO
PFOA



Spray 5 Black: Ideal for snow with low humidity and artificial snow.

SHB105-50

ml. 50

Temp: 0/-5°C

HR: 60/95%



Spray 10 Black: Ideal for snow with low humidity and artificial snow.

SHB110-50

ml. 50

Temp: -4/-10°C

HR: 50/95%

PERFORMANCE HIGH FLUOR WAX

NO
PFOA



Performance 2

For new snow with temperature close to 0°C or new falling snow.

Temp: 0/-2°C HR 60/95%
Iron: 130°C

FH102-50
50 gr

FH102-150
150 gr

Performance 4

For transformed and not to cold snow conditions.

Temp: -1/-4°C HR 60/95%
Iron: 135°C

FH104-50
50 gr

FH104-150
150 gr



Performance 7

For new snow or slightly transformed snow conditions, from cold to warm.

Temp: -3/-7°C HR 50/95%
Iron: 140°C

FH107-50
50 gr

FH107-150
150 gr

Performance 18

For very cold snow conditions.

Temp: -7/-18°C HR 35/80%
Iron: 150°C

FH118-50
50 gr

FH118-150
150 gr



Performance Distance

For wet, transformed or dirty snow condition.

Temp: 0/-10°C HR 30/90%
Iron: 150°C

FD110-50
50 gr

FD110-150
150 gr

ACTIVE LOW FLUOR WAX

NO
PFOA



Active 4: for transformed and humid snow conditions.

Temp: 0/-4°C **HR** 60/95% **Iron:** 130°C

FL104-50 **50 gr** FL104-150 **150 gr**



Active 7: for new snow or slightly transformed snow conditions, from cold to warm.

Temp: -3/-7°C **HR** 50/95% **Iron:** 140°C

FL107-50 **50 gr** FL107-150 **150 gr**



Active 18: for cold snow conditions.

Temp: -7/-18°C **HR** 35/80% **Iron:** 150°C

FL118-50 **50 gr** FL118-150 **150 gr**

NEW
2023



Work Lab LF Soft rossa: Soft Wax, low fluorinated, for training and ski transportation

Temp: 0/-7°C **Iron:** 120°C

FL202-1000 **1.000 gr** **4x250g**

NEW
2023



Work Lab LF Hard viola: Hard Wax, low fluorinated, for training and ski transportation

Temp: -7/-18°C **Iron:** 150°C

FL 201-1000 **1.000 gr** **4x250g**

SPRAY

SPEED FAST - LF TOURING

NO
PFOA



Speed Fast Base LF yellow: Easy application, directly on the base or skins. Very good also on skins for skitouring with tricky conditions where snow tends to stick on skins.

LBL 107-200

200 ml

Temp: 0/-5°C

HR 30/90%



Speed Fast Base LF purple: Easy application, directly on the base or skins. Very good also on skins for skitouring with tricky conditions where snow tends to stick on skins.

LBL 115-200

200 ml

Temp: -7/-15°C

HR 30/90%



Liquid Racing LF Speed Line: A liquid Low Fluor product. For new to transformed snow conditions. Apply with the enclosed sponge release or even better with the Roto-fleece and then brush.

LL112-80

80 ml

Temp: -4/-12°C

HR -30%



SNOWBOARD

KITD1540

- Handle for Driller
- Roto Cork (220mm)
- 2 fleece wool applicators (220mm)
- 2 ROTO products fluor free speed line (20gr)
(Roto Speed line 5, Roto Speed line 10)

Wool-Applicator perfect for the application of the Yes-Roto products HF-LF-NF and F2015, as also to polish Yes-Spray products.



ROTO Fleece Wool-Applicators
Fleece Wool Applicator for Roto Engine.

A1089-220 Length: 89mm / 220 mm



Nylonon Roto-brush
6mm; 22 cm

ASC400 220mm



ROTO Handle for Drillers
Handle for Drillers

A2000-220 Length: 220mm



ROTO Kork for Drillers

A1189-220 Diameter 89/220 mm



ROTO DRILL KITS

SKI ALP



ROTO Drill Kit - Ski Alp:

KITD1530

Ideal to prepare skins and base for
Ski-Touring:

- Handle for Driller
- Roto Cork 75mm
- 3 fleece wool applicators (75mm)
- 3 products **ROTO Line**

(Roto Universal Base, Roto Ski Alp Skin Cold
black, Roto Ski Alp Skin Warm black)

ROTO SKIALP



Universal racing base wax

Fluor Free Speed Line for preparing the base of the skis

RN300-10

10 gr



Warm racing Skin wax

Speed Line for preparing the Skin

RN308-10

10 gr



Cold racing Skin wax

Speed Line for preparing the Skin

RN315-10

10 gr

YES SKI ALP POLES

Wind: 100% Carbon

Material of the stick:

100% carbon

Strap:

for Cross-country and Biathlon

Handle:

Cork Grip 16 mm

Basket: Ø 13 mm with tip in high Widia quality



Ninja: 100% Carbon

Material of the stick:

100% carbon

Strap:

for Cross-country and Biathlon

Handle:

Cork Grip 16 mm

Basket: Ø 13 mm with tip in high Widia quality



GRIP WAX



FLUOR
FREE



Multigrade Stick viola Stick: For a shiny track, soft snow

GS103-30

30 gr

Temp:0/-3°C

FLUOR
FREE



Blue Extra Stick: Perfect glide and kick on transformed artificial snow

GS108-30

30 gr

Temp:-2/-8°C

FLUOR
FREE



Blue Stick Stick: Lightly transformed fine snow and or cold artificial

GS110-30

30 gr

Temp:-5/-10°C

FLUOR
FREE



Blue Extra HARD Stick: New product, wide range, already used in the World Cup till -18°C, very resistant with abrasive snow conditions.

GS115-30

30 gr

Temp:-8/-15°C

FLUOR
FREE



Green Stick: Perfect base for long distances. Warm up slightly with the iron for better gliding characteristics.

GS120-30

30 gr

Temp:-15/-25°C

NO
PFOA



Multigrade PLUS Stick viola Stick: For humid and wet snow

GS203-30

30 gr

Temp:0/-3°C

NO
PFOA



Blue Extra PLUS Stick: Transformed, humid artificial snow

GS208-30

30 gr

Temp:-2/-8°C

KLISTER



Klister Red WET: Perfect grip and gliding characteristics for wet snow conditions.

GK20W-60

60 gr

Temp:+1/+3°C



Klister Red: Perfect grip and gliding characteristics for artificial snow conditions.

GK30R-60

60 gr

Temp:+1/+3°C



Klister Violet: The perfect base for long distances, perfect as a base for stick waxes

GK30V-60

60 gr

Temp:-1/-8°C



Liquid no ice racing: Perfect for applications on top of soft Klister waxes for wet snow. Put some drops on top of it and spread them with the fingers. They do not attract/collect the dirt from the tracks under trees.

LR1000-50

30 gr

Temp:-2/-8°C



Wachsprofi HWP 230V, 50/60Hz

Device for the even application of klister

HWP-125



Accessoires for HWP 125
Rubber roller
 length 125
HWP-001



Accessoires for HWP 125
aluminium – grooved roll
 length 125
HWP-002



Accessoires for HWP 125
Replacement tray
Wachsprofi
HWP-004

COMPETITION SET



Competition Set HSG1 Starter

KITAHS1

- Starter set with guaranteed success
- HSG 1 with guide roller in the case and 3 rollers for all conditions



Competition Set HSG 2 - Comfort

KITAHS2

- Your professional introduction to hand structures
- Find the best match for your existing ski range
- Available in cold, medium and wet configurations
- HSG 2 with drive & guide roller in the case and 5 structure rollers

YES XC POLES

YES xc poles convince and satisfy you with absolutely high quality. New ways in our production of poles led to new solutions and outstanding properties in weight, pendling and stiffness.

Energy: Ultralight 100% HM Carbon

Material of the stick: **100% carbon**

Handle: **Cork Grip16 mm**

Strap: **for Cross-county and Biathlon**

Basket: **Ø9 mm with tip in high Widia quality**



Active: Light 100% Carbon

Material of the stick: **100% carbon**

Handle: **Cork Grip16 mm**

Strap: **for Cross-county and Biathlon**

Basket: **Ø9 mm with tip in high Widia quality**



Ninja: 100% Carbon

Material of the stick: **100% carbon**

Handle: **Cork Grip16 mm**

Strap: **for Cross-county and Biathlon**

Basket: **Ø9 mm with tip in high Widia quality**



All models are adaptable in size

Wind: 100% Carbon

Material of the stick:

100% carbon

Handle:

Cork Grip 16 mm

Strap:

for Cross-country and Biathlon

Basket:

Ø9 mm with tip in high Widia quality



Pole-tube for 5 pairs

AS200-170



Baskets for poles

BA1006



Handle

BA1001



Handle and straps

Size: S | M | L

BA1004



Biathlon-Strap

BA1005



ACCESSOIRES

Puliski Cleaner

Liquid to clean the skis, ideal to clean and prepare the skis before applying the Roto Products.

AC1200-05	0,5 lt
AC1200-1	1lt
AC1200-5	5 lt



Fluor Cleaner 250ml

AC1100-250



Drink belt, insulated

A3200-00



Ski straps

A3400-00



Ski bag with casters

AS110-10

for 10 pairs



Ski bag

AS100-2

for 2 pairs

AS100-4

for 4 pairs

AS100-8

for 8 pairs

Digital Waxing Iron

A3100-DIG

With digital temperature indicator, the 10mm strong iron ensures good heat-stability, still light and ideal for intense use.



Plexi scraper

Width:

A3310-3

3mm

A3310-5

5mm



Time Test

A3300-00

Time Test® time keeping system with photocell for cross-country ski speed testing

Backpack

A3500-00



Waxing Table


YES-T01

Stable and solid table for waxing;
1 shelf as optional, fits 2 sets of cross
country waxing profiles

height: 900mm

length: 1.000mm

weight: 530mm



BORSA-T01

1 shelf for the waxing table

YES-PIANOT01




Adjustable Cross Country Waxing Profile

Y0033-a



BRUSHES



**Nylon brush,
rectangular, 6mm**

ASR400



**Horsehair brush,
rectangular, 8mm**

ASR300



**Inox brush,
rectangular, 10mm**

ASR200



**Brass Brush,
rectangular, 8mm**

ASR500




**Fleece/Nylon brush,
small and rectangular**

ASR100



**Horshair Roto-brush
5mm; 10cm**

ASC100



**Nyolon Roto-brush
6mm; 10cm**

ASC400 10 cm



**Fleece Roto-brush;
10cm**

ASC500



**Roto Brush, nylon and
horsehair, 5mm; 11,5cm**

ASC200



ROTO Handle for Drillers

A2000-100 **Length: 100mm**

A2000-115 **Length: 115mm**

A2000-200 **Length: 200mm**



Brush steel horsehair

ASC600 **Lunghezza: 11,5cm**

CLOTHING

Sport Jacket *B301-GIA*

Developed for optimal performance in cold conditions

Colors:

BLUE

RED

Size:

S | M | L | XL



Sport Vest *B300-GIL*


Colors:

BLUE

RED

Size:

S | M | L | XL



Warming up pants *B303-SOP*

warming up pants for competitions
and for training in cold conditions

Colors:

BLUE

Size:

S | M | L | XL



Racing suits: B304-TUT


2-pcs; the design can be personalized

Colors:

BLUE

Size:

S | M | L | XL





Apron

The design can be personalized

B302-GRE



Yes headbands

The design can be personalized

Colors:

BLUE

B200-B

BLACK

B200-BL

RED

B200-R

GREEN

B200-G

PINK

B200-P

COLORFUL

B200-COL

PERSONALIZED

B200-PER

YES hats

The design can be personalized.

Colors:

BLUE

B100-B

BLACK

B100-BL

RED

B100-R

GREEN

B100-G

PINK

B100-P

COLORFUL

B100-COL

PERSONALIZED

B100-PER







Yes Skiwx is OFFICIAL SUPPLIER of the Norwegian Biathlon Association



**NORGES
SKISKYTTER
FORBUND**



YES SKIWAX KG

di Gasser Christof & Co.

Montal, 47

39030 Sankt Lorenzen (BZ) ITALY

UID Nr. IT02889820219

INFO@YESSKIWAX.COM



WWW.YESSKIWAX.COM